



## **Standard Product Features**

Usage Area	Indoor Lighting, Bar, Restaurant, Cafe, Store, Showroom, Supermarket, Office, Education Area, Mall, Hotel, SPA, GYM, Health Center, Hospital, Sports Hall, Stadium
Montage	Surface Mounted, Pendant
Led Color	White, Amber, Red, Green, Blue, RGB
IP Class	IP20
Led Type	Undefined
Body	Aluminum Extrusion, DKP Sheet
Diffuser	Opal Polycarbonate PMMA
Luminaire Size	Desired Luminaire Size
Driver	Mosso, Osram, Philips, Tridonik

## **Optical Electrical Features**

Power Consumption	18W, 22W, 32W, 40W, 50W
Luminaire Lumen	125LM, 1500LM, 1800LM, 2500LM, 3250LM, 4000LM
Color Temperature	2700K, 3000K, 4000K, 5000K, 6500K
Angle	25-40-50-60-90°
Color Rendering Index (CRI)	80+

## **Other Features**

Type/ Shape	Decorative Lighting, Ring Lighting
Highlights	Undefined
Operating Temperature Range	Undefined
Led Lifetime	100.000K

1/3

## **Optional Features**

Optional Features

0-10V DIM, DALI Compatibility, Kit Compatibility, Switch DIM, Triac DIM, Tunable Compatibility









